

Drive
Medical
ID Soft
Wheelchair





The ID Soft Tilt-in-Space Wheelchair offers various adjustable components, providing maximum adaptability for added comfort. The transit version is both lightweight and compact providing easy storage and transportation.



- » Multi-adjustable wheelchair designed to adapt to every need of the user
 - » The wheelchair can be tilted and reclined to help the user maintain correct posture, as well as assisting with even pressure distribution
 - » Offers maximum comfort for those spending longer periods of time in a wheelchair, and who may also need assistance with their posture
 - » Infinite position adjustment of the backrest and seat angle which can be easily operated from the push handle and can be quickly adjusted
 - » Frame design ensures the wheelchair is steady, whatever the backrest and seat angles are
 - » Height adjustable push handles to provide comfort for the attendee
 - » Padded adjustable headrest with multi-positional ear cushions and elevating leg rests for additional support and pressure relief
 - » Anti-tip wheels with integral stepper tube to aid use on kerbs
 - » Long, curved adjustable armrests are fully padded for extra comfort and are easily detachable through a push button
 - » Back rest reclines from 90° (vertically) to 120°
 - » Adjustable height backrest (on 9cm) and two choices of cushion height
 - » Three seat widths are available - 39-44cm (15-17"), 44-49cm (17-19"), and 49-54cm (19-21")
 - » Multi-adjustable leg rests can be altered in width, height and depth of calf cushion
 - » Suitable for use as a seat in a motor vehicle ("Crash Tested" to ISO 7176/19)
 - » Weight capacity 135kg (21st)
 - » Accessories available
- CODES: IDSOFTTS16 (16" SEAT WIDTH)
 IDSOFTTS18 (18" SEAT WIDTH)
 IDSOFTTS20
 (20" SEAT WIDTH)

"Multi adjustable wheelchair adaptable for all users!"



Crash Tested

CODE	LENGTH (WITH/WITHOUT LEGRESTS)	HEIGHT	BACK HEIGHT	SEAT WIDTH	SEAT HEIGHT	SEAT DEPTH	WEIGHT	WEIGHT CAPACITY
IDSOFTTS16	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	39-44cm (15-17")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTTS18	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	44-48cm (17-19")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTTS20	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	48-53cm (19-21")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)



The ID Soft Mid Wheel Tilt-in-Space Wheelchair provides a smoother ride due to its larger wheels, and yet remains easy to store and transport, also providing optimum climbing ability.

- » Multi-adjustable wheelchair designed to adapt to every need of the user
- » The wheelchair can be tilted and reclined to help the user maintain correct posture, as well as assisting with even pressure distribution
- » Offers maximum comfort for those spending longer periods of time in a wheelchair, and who may also need assistance with their posture
- » Infinite position adjustment of the backrest and seat angle which can be easily operated from the push handle and can be quickly adjusted
- » Frame design ensures the wheelchair is steady, whatever the backrest and seat angles are
- » Height adjustable push handles to provide comfort for the attendee
- » Padded adjustable headrest with multi-positional ear cushions and elevating leg rests for additional support and pressure relief
- » Anti-tip wheels with integral stepper tube to aid use on kerbs
- » Long, curved adjustable armrests are fully padded for extra comfort and are easily detachable through a push button
- » Back rest reclines from 90° (vertically) to 120°
- » Adjustable height backrest (on 9cm) and two choices of cushion height
- » Three seat widths are available - 39-44cm (15-17"), 44-49cm (17-19"), and 49-54cm (19-21")
- » Multi-adjustable leg rests can be altered in width, height and depth of calf cushion
- » Suitable for use as a seat in a motor vehicle ("Crash Tested" to ISO 7176/19)
- » Weight capacity 135kg (21st)
- » Accessories available

CODES: IDSOFTMW16 (16" SEAT WIDTH)
IDSOFTMW18 (18" SEAT WIDTH)
IDSOFTMW20
(20" SEAT WIDTH)

"Offers infinite position adjustment of the back rest and seat angle"



Crash Tested

CODE	LENGTH (WITH/WITHOUT LEGRESTS)	HEIGHT	BACK HEIGHT	SEAT WIDTH	SEAT HEIGHT	SEAT DEPTH	WEIGHT	WEIGHT CAPACITY
IDSOFTMW16	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	39-44cm (15-17")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTMW18	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	44-48cm (17-19")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTMW20	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	48-53cm (19-21")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)



The ID Soft Self Propel Wheelchair offers maximum independence for the user. The sturdy steel frame provides extra support and stability in any position for added security.

- » Multi-adjustable wheelchair designed to adapt to every need of the user
- » The wheelchair can be tilted and reclined to help the user maintain correct posture, as well as assisting with even pressure distribution
- » Offers maximum comfort for those spending longer periods of time in a wheelchair, and who may also need assistance with their posture
- » Infinite position adjustment of the backrest and seat angle which can be easily operated from the push handle and can be quickly adjusted
- » Frame design ensures the wheelchair is steady, whatever the backrest and seat angles are
- » Height adjustable push handles to provide comfort for the attendee
- » Padded adjustable headrest with multi-positional ear cushions and elevating leg rests for additional support and pressure relief
- » Anti-tip wheels with integral stepper tube to aid use on kerbs
- » Long, curved adjustable armrests are fully padded for extra comfort and are easily detachable through a push button
- » Back rest reclines from 90° (vertically) to 120°
- » Adjustable height backrest (on 9cm) and two choices of cushion height
- » Three seat widths are available - 39-44cm (15-17"), 44-49cm (17-19"), and 49-54cm (19-21")
- » Multi-adjustable leg rests can be altered in width, height and depth of calf cushion
- » Suitable for use as a seat in a motor vehicle ("Crash Tested" to ISO 7176/19)
- » Weight capacity 135kg (21st)
- » Accessories available

CODES: IDSOFTSP16 (16" SEAT WIDTH)
IDSOFTSP18 (18" SEAT WIDTH)
IDSOFTSP20
(20" SEAT WIDTH)

"Can be tilted and reclined to help the user maintain correct posture"



Crash Tested

CODE	LENGTH (WITH/WITHOUT LEGRESTS)	HEIGHT	BACK HEIGHT	SEAT WIDTH	SEAT HEIGHT	SEAT DEPTH	WEIGHT	WEIGHT CAPACITY
IDSOFTSP16	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	39-44cm (15-17")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTSP18	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	44-48cm (17-19")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)
IDSOFTSP20	82/108cm (32/42.5")	108cm (43")	49-64cm (19-25")	48-53cm (19-21")	43cm (17")	40-46cm (16-18")	34.2kg (75lb)	135kg (21st)

Accessories

Accessories are compatible with all models

1. FLIP OVER TRAY

- » Plastic construction incorporates a 2cm (1") lipped outer edge to prevent items from falling off or to retain accidental spills
 - » Tray can be flipped up and lowered to the side of the chair to allow users to easily get on and off the wheelchair seat without having to remove the tray
 - » Ideal for use as a work area, for mealtimes or just for reading
 - » 13.5cm (5") deep cut-out area allows user to position themselves close to the tray
 - » Easy wipe clean surface
 - » Tray measures a generous 61cm (L) x 47cm (D) (24" x 18.5")
- CODE: IDSOFT-TRAY

2. STANDARD TRAY

- » Manufactured from clear plastic enabling the wheelchair user to easily see the front corners of their chair when manoeuvring
 - » All round 5mm lipped edging prevents items from falling off and retains any accidental spills
 - » Removable tray to allow easy user transfers with patterned top
 - » Ideal for reading, working, and for use at mealtimes
 - » Large cut-out area and depth adjustment gives the user plenty of room and allows positioning close to the tray
 - » Easy wipe clean surface
 - » Tray measures a generous 58cm (L) x 37.5cm (D) (23" x 15")
- *Not compatible with hemiplegic arms
- CODE: M70540800

3. TRUNK SUPPORT

- » Height and angle adjustable, ensuring user's individualized comfort
 - » Padded cushion support provides added comfort for the user
 - » Secures the torso at desired angle
 - » Stays open for easy transfers
 - » Easy wipe clean surface
 - » Removable covers for easy cleaning
- CODES: M73601602 (LEFT SIDE)
M73601601 (RIGHT SIDE)

1



2



3



Accessories

Accessories are compatible with all models

4



5



6



7



4. LONG WING HEADREST

- » Large padded wing head for added comfort
 - » Provides additional head positioning and support
 - » Lateral support for the head
 - » Height adjustable to suit all users
 - » Sturdy construction
 - » Easy to install
- CODE: M70541400

5. ABDUCTION WEDGE

- » Can be easily fitted to separate legs and maintain correct posture
 - » Offers optimum user support whilst remaining extremely comfortable
 - » Helps stabilise the legs in a position
 - » Easy wipe clean surface
 - » Padded with height and length adjustment to ensure user's individualized comfort
- CODE: M73601700

6. HIP PADS (PAIR)

- » Padded hip pad provides additional comfort to user when sat in the chair
 - » 1" thick for maximum support
 - » Easily fitted and removed from wheelchair
 - » Easy wipe clean surface
- CODE: IDSOFT-HP

7. CENTRE FOOT BOX

- » Length, height and angle adjustment to suit users leg length, providing added flexibility and comfort
 - » Easily removable
 - » Overall Dimensions - H 38cm (15") x D 28cm (11") x H 14cm (5.5")
- CODE: IDSOFT-CFPL

Accessories

Accessories are compatible with all models

1. HEMIPLEGIC ARMREST

- » Ideal for users with hemiplegia, paraplegia, tetraplegia and others who need extra forearm support
 - » Lipped edging helps to keep users arm in position
 - » Padded armrest provides additional user comfort
 - » Angle adjustable for added flexibility and support
- CODES: M705513O2 (LEFT SIDE)
M705513O1 (RIGHT SIDE)

1



2. WIDER BACK FRAME

- » Specialist seating can be used with this wider back frame
 - » The wider frame can also be used with a tension adjustable back
- CODE: IDSOFT-BACK1

3. DEEP CONTOUR BACKREST

- » Shell is fabricated from highly durable, premium grade Acrylic/PVC
 - » Partially pre-drilled holes maintain a clean look from the outside and can then be easily punched out for precise placement of mounting hardware component parts
 - » Deep Contour provides enhanced trunk stability
 - » Installs in seconds with Tension Hook hardware
 - » System has been fully crash tested in compliance with ISO16840 Part 4 DIS, incorporating the uniquely patented VERSALock system
 - » Utilises hook and bracket combinations to ensure a greater range of forward and drop-angle adjustment to accommodate growth and individual needs
 - » Side to side adjustments for asymmetrical positioning
 - » Fewer back sizes accommodate multiple chair widths
 - » Optional VERSALocks provide an easy and certain way to mark your back location when removed from the frame
- CODE: IDSOFT-BACK2

2



*Frame only, excludes backrest

3



Accessories

Accessories are compatible with all models

4



4. HIP STABILISING BELT

- » Provides added positioning and support for the user
 - » Maintains contact with the front and sides of the client and mounts to the wheelchair
 - » Easily adjustable and removable
 - » Material stretches for dynamic movement
 - » Easy push button buckle release
- CODES: P14749BE (SMALL)
P14750BE (MEDIUM)
P14751BE (LARGE)

5. BASE ONLY

- » ID Soft wheelchair base frame only
 - » Allows specialist seating to be added to the wheelchair base frame
- CODE: IDSOFTBASE


6. SOS QUICK-LOCK SET-UP

- » Fits SOS specialist seating
 - » Robust seat attachment with quick release lever for easy seat removal
 - » Increases the wheelbase's life span - as the clients posture changes new seating can be attached to the existing wheelbase
 - » Ideal for situations where more than one seating system will be used with the same wheelbase
 - » Easier storage and transportation - When the seat is removed wheelbases that can be collapsed are smaller and more compact
- CODE: IDSOFTQL

5



6



Seat Cushions

Memaflex Cushion

The Memaflex Cushions high frequency welded seams and fully concealed zip reduces the possibility of fluid ingress and aids infection control.

The multi stretch PU cover is waterproof, vapour permeable and impregnated with Acti-fresh biocide to help prevent the build-up of bacteria and ensure it can be easily cleaned to aid disinfection protocols. White inner substrate (underside of the cover) helps auditing procedures by making staining easy to identify. The cushion cover can be completely removed and laundered up to 80°C to aid decontamination protocols.

The temperature sensitive visco-elastic foam moulds to the shape of the body providing greater weight distribution and pressure reduction.



Features and Benefits

- » Visco-elastic foam
- » Non-slip base
- » Risk Factor: High Risk
- » Warranty: 2 years
- » Various sizes available including: 15 x 18 x 3", 16 x 18 x 3", 17 x 18 x 3", 19 x 18 x 3", 18 x 18 x 3", 20 x 18 x 3"
- » Foam Density Range: Visco Foam: 56-63 kg / M³, CMHR Base: 38-40 kg / M³
- » Nominal Hardness Range: Visco Foam: 120 - 150N, CMHR Base: 175 - 215N
- » Maximum weight limit 20st (127kg)

CODE: PL10

Air-Layer Cushion

The Air Layer Cushion includes all the same great infection control features of the Memaflex Cushion with added pressure area care.

The temperature sensitive visco-elastic foam moulds to the shape of the body providing greater weight distribution and pressure reduction.

The unique top surface air layer improves the micro-climate between the patient and the support surface, reducing heat transfer rates by over 50% and vapour rates by over 25%. Temperature sensitive visco-elastic foam moulds to the shape of the body, providing maximum pressure re-distribution across a greater surface area.



Features and Benefits

- » Unique top surface air layer
- » Non-slip base
- » Risk Factor: High Risk
- » Warranty: 2 years
- » Various sizes available including: 15 x 18 x 3", 16 x 18 x 3", 17 x 18 x 3", 19 x 18 x 3", 18 x 18 x 3", 20 x 18 x 3"
- » Foam Density Range: Visco Foam: 56-63 kg / M³, CMHR Base: 38-40 kg / M³
- » Nominal Hardness Range: Visco Foam: 120 - 150N, CMHR Base: 175 - 215N
- » Maximum weight limit 20st (127kg)

CODE: PL11

Mason Balanced Adjustable Air Cushion

The Mason Air Cushion provides an advanced level of pressure area care using a hand pump to adjust the cushion's air level to suit individual user comfort.

- » The Mason Balanced Air Adjustable Cushion is a premier pressure management cushion
- » Offering dynamic positioning, unmatched stability and an advanced level of pressure ulcer prevention
- » Flexible interconnected, independent air cells allow for deep immersion into the cushion
- » Optimal pressure redistribution helps increase blood flow necessary for healthy tissue maintenance
- » Water-resistant, low-shear stretch cover with adjustable locking straps and non-skid bottom to secure cushion to the wheelchair
- » Hand pump to adjust the cushion's to individual patient comfort
- » Available in 4" and 2" adjustable air cell heights
- » Carry handle for easy transportation

CODE: 8047

"Flexible, interconnected, independent air cells allow for deep immersion into the cushion"



CODE	DESCRIPTION	WIDTH	DEPTH	HEIGHT	WEIGHT CAPACITY
8047-16	Adjustable Air Cushion	40cm (16")	40cm (16")	10cm (4")	227kg (36st)
8047-16-2	Adjustable Air Cushion	40cm (16")	40cm (16")	5cm (2")	227kg (36st)
8047-18	Adjustable Air Cushion	46cm (18")	40cm (16")	10cm (4")	227kg (36st)
8047-18-2	Adjustable Air Cushion	46cm (18")	40cm (16")	5cm (2")	227kg (36st)
8047-1818	Adjustable Air Cushion	46cm (18")	46cm (18")	10cm (4")	227kg (36st)
8047-1818-2	Adjustable Air Cushion	46cm (18")	46cm (18")	5cm (2")	227kg (36st)
8047-20	Adjustable Air Cushion	51cm (20")	40cm (16")	10cm (4")	227kg (36st)
8047-20-2	Adjustable Air Cushion	51cm (20")	40cm (16")	5cm (2")	227kg (36st)
8047-2018	Adjustable Air Cushion	51cm (20")	46cm (18")	10cm (4")	227kg (36st)
8047-2018-2	Adjustable Air Cushion	51cm (20")	46cm (18")	5cm (2")	227kg (36st)


Lightweight Powerstroll



This dual wheel lightweight Powerstroll can be easily fitted and removed within seconds, and adapts to fit most wheelchair sizes. The Powerstroll takes the strain out of pushing a heavy wheelchair and makes easy work of hills, ramps and gradients.

- » Maximum range of 10 miles (16km)*
- » Fits 2.2cm-2.5cm (7/8"-1") diameter tubing**
- » Uses existing wheelchair handgrips
- » Lightweight at 14kg and less than 8kg (17lb) with battery pack removed
- » Twin 'Drive' wheels with 8" black non-marking PU tyres
- » Removable fabric battery pack
- » Uses 12v 20ah battery (airline friendly)
- » Lightweight 100w 12 DC motor
- » Trigger handset with variable speed dial and direction button
- » Easy to use lift up strap
- » Weight capacity 115kg (18st)
- * Subject to conditions of use
- ** Powerpack must be fitted with a specialist adaptor bracket for the IDSOFT (code IDSOFT-PP)

"Lightweight, portable, and is available at a great price"



CODE	MAX RANGE	MAX GRADIENT	WEIGHT BATTERY PACK ONLY	WEIGHT WITHOUT BATTERY	TOTAL WEIGHT	WEIGHT CAPACITY
PWCPP010	16km (10 Miles)*	6°	6.5kg (14lb)	7.5kg (16.5lb)	14kg (39lb)	115kg (18st)

S-Drive Powerstroll



This excellent Powerstroll will turn most manual wheelchairs into carer controlled powered wheelchairs. Can be fitted and removed easily in seconds.

- » Allows speed of up to 6.5kph (4mph)*
- » Travels up to 16km (10 miles) on a full battery charge*
- » The powerstroll can easily be fitted or removed within seconds**
- » The excellent PG S-Drives controller features a fully programmable and comprehensive fault management system
- » Push-and-slide battery removal system
- » It is very portable, making transportation simple
- » Fits most standard wheelchairs up to 50cm (20") seat width**
- » Additional parts available for wider wheelchairs
- » Hand control with variable speed dial, forward/reverse function, illuminated battery gauge and fingertip trigger control
- » Comes complete with a carry holdall with shoulder strap
- » Simple to manoeuvre and reverse
- » The powerstroll has a powerful 150 watt (200 watt-HD), 24V motor, capable of coping with most terrains
- » Maintenance free, airline friendly 24v 12Ah valve regulated sealed lead acid battery pack
- » 2A charger as standard for off-board charging
- » Weight capacity 135kg (21st/300lb), this includes the wheelchair and user combined
- » Heavy Duty model - maximum weight capacity 180kg (28st/400lb)
- * Subject to conditions of use
- ** Powerpack must be fitted with a specialist adaptor bracket for the IDSOFT (code IDSOFT-PP)

"Takes the strain out of pushing a wheelchair!"




CODE	MAX RANGE	MAX GRADIENT	WEIGHT BATTERY PACK ONLY	WEIGHT WITHOUT BATTERY	TOTAL WEIGHT	WEIGHT CAPACITY
PWCPP009	16km (10 Miles)*	8°	9kg (19.5lb)	10.2kg (22.5lb)	19.2kg (42lb)	135kg (21st/300lb)

ID Soft Overview

The ID Soft's sturdy frame design provides security for the user at any backrest and seat angle.



The ID Soft provides various adjustments, giving maximum adaptability for comfort, user position and security.



14

NEW BACKREST STRUCTURE

Height adjustable and facility to remove it completely to fit other types of backrest.

NEW LIGHTER CHASSIS

Bronze Chassis fits all wheel types. Features a gravity centre shift depending on the used angle.

PUSH HANDLES

Height adjustable push handles.

NEW ARMRESTS

Long and curved armrest pad with rigid armrest side design (3 fixation points). Very accessible and safe unlocking armrest system.

NEW LEGRESTS

Multiple-adjustment legrest with rotation. Calf cushion is height, width and depth adjustable.

BACKREST

Height adjustable backrest (10 cm). Reclining backrest from 90° (vertically) to 120°.

CONTINUOUS DEPTH ADJUSTABLE SEAT

Sliding on 90mm (42 to 51cm).

ARMREST

Long and curved armrest, height adjustable (70mm). Push button detachable.

WIDTH BETWEEN BOTH ARMRESTS (SEAT WIDTH)

Continuous adjustment:
On IDSOFT16 frame - 39 to 44cm.
On IDSOFT18 frame - 44 to 49cm.
On IDSOFT20 frame - 49 to 54cm.


RECLINING SEAT

Seat reclining from -2° (Trendelenburg) to +20° with large rear wheels, and from -2° to +25° with small rear wheels.



Leaflet Code: LL229

For more information contact your local dealer:



driveTM
www.drivemedical.co.uk

All sizes and weights stated are nominal. All errors and omissions excepted.
Due to the limitations of photography and the printing process colours shown may not be 100% accurate.