

# Flight Safety Certificate

eFOLDi mobility scooter



Model: Explorer (MK1.5)





This battery conforms to the IATA (International Air Transport Association) requirements and specifications for transport by mobility impaired passengers on Passenger Aircraft as set out in Section 2.3.2.4. of the IATA Dangerous Goods Regulations (edition 63).

**NB**: Individual Airlines/Operators and/or Nations may impose more rigorous restrictions than those outlined under the international minimums referred to above.


#### **Battery information:**

eFOLDi FarReach, Lithium-Ion, Dry, Non spillable, 24VDC, 12ah, 288Wh

Dimensions: 19.5x8.5x11cm

Weight: 1.8kg/each


Key lock: Yes



Lift the battery from scooter after unlocking it using the key



# Scooter weight:17kg without battery/19kg with battery Scooter fully folded size: 66x56x40cm (26x22x15.6inch)



**Dimensions** 





# 材料安全数据表

## Material Safety Data Sheet

有效期至 2024 年 12 月 31 日

样品名称: 可充电锂离子电池

Sample name: **Rechargeable Lithium-ion Battery** 

样品型号:

eFOLDi FarReach Battery

Sample model:

委托单位:

Applicant:

SunTech UK Ltd

签发时间 Date of issue:

2023.12.13

Written by

Approved by 段12清

「限公司

Shenzhen Tiansu Calibration and Testing Co., Ltd.

(01 - 03)





型号

Trade Mark

Page 2 / 11 Pages

Report No.: TSZ23120178-P03-R02

\* The MSDS is prepared based on the information provided by client. The contents and formats of this MSDS are revised as per client's request. 这份材料安全数据表是根据客户提供的信息编辑,其内容和格式按客户要求来修订。

第一	部分-	化字	品及企业标识	

Section 1	-Chemical Product and Company Identification
产品名称	可充电锂离子电池
<b>Product Name</b>	Rechargeable Lithium-ion Battery

T 4	eFOLDi FarReach Battery	
Model	er olbi i arreacii battery	
商标		

额定参数	24V/12Ah/288Wh
Ratings	24V/12A11/200VVII

重量	1 970kg
Weight	1.879kg

生产单位	东莞一展电子科技有限公司

Manufacturer	Dongguan Yiznan Electronic Technology Co., Ltd
<b>小 立 单 台 ຟ 小</b>	广东省东莞市常平镇土塘村天桥西路2号龙之祥长盛科技园2号厂房

生产单位地址	
生厂干垃地址	No. 2 Long Thi Viang Chang Shang Science and Tochnology Bark
Manufacturer	No. 2, LongZhiXiang ChangSheng Science and Technology Park,
Manufacturer	No. 2, West TianQiao Road, TuTang Village, ChangPing Town,
Address	No. 2, West Handlao Noad, Turang Village, Changeing Town,

Addiess	DongGuan City, GuangDong Province
应急电话	

应心七口	13510702894
Emergency Telephone	1331070203

, , , , , , , , , , , , , , , , , , ,	
传真	
Fax	

#### 第二部分-成分信息

### Section 2- Composition Information

化学成分	化学式	CAS 号	重量含量(%)	
Chemical Composition	Chemical Formula	CAS No.	Weight (%)	
钴酸锂	LiCoO <sub>2</sub>	12190-79-3	15 - 40	
Lithium cobaltate		12190-79-3	15 - 40	
石墨	С	7782-42-5	10 - 30	
Graphite	C	1102-42-3	10 - 30	
六氟磷酸锂	LiPF <sub>6</sub>	21324-40-3	10 - 30	
Lithium hexafluorophosphate	LIFF <sub>6</sub>	21324-40-3	10 - 30	
铜箔	Cu	7440-50-8	7-13	
Copper	Cu	7440-30-6	7-13	





Page 3 / 11 Pages

Report No.: TSZ23120178-P03-R02

铝箔 Aluminium	Al	7429-90-5	5-10	
镍 Nickel	Ni	7440-02-0	1-5	
	第三部分-危	<b>达险性概述</b>		
Se	Section 3- Hazards Identification			
紧急情况概述	不适用			
Emergency overview	N/A			
标签元素 Label elements:				
危险标签图	不适用			
Hazard pictogram(s)	Not Applicable			
提示语	不适用			
Signal word	Not Applicable			
危险声明	不适用			
Hazard statement(s)	Not Applicable			
预防声明				
Precautionary statement(s):				
预防	不适用			
Prevention	Not Applicable			
反应 Response	不适用			
废弃处理	Not Applicable 不适用			
Disposal	小並用   Not Applicable			
环境危害	无相关信息			
Environmental hazards:	No relevant information			
重要症状	见第11部分更多信息			
Important symptoms:	See section 11 for more information			
	第四部分-	急救措施		
	Section 4- First	Aid Magauras		
	Section 4- First	Alu Measures		
	I		翻起上下眼睑,直到化学的残	
眼睛接触	留物消失为止,迅速			
Eye contact		-	nutes, occasionally lifting the	
		velids. Get medical aid.	1 - 1 - 1 - 1 - 1 - 1 - 1	
나 먼트 나는 소.		水冲洗至少15分钟,同时除	去污染的衣物和鞋子,迅速就	
皮肤接触 Skin contact	医。			
OKIII COIIIACI	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.			
			予输氧, 立即就医。	
吸入	立即从暴露处移至空气清新处,如果呼吸困难给予输氧,立即就医。 Remove from exposure and move to fresh air immediately. Use oxygen if			
Inhalation	available.		, , , ,	
摄入	饮用两杯牛奶或水,如果当事人仍然清醒可以采取催吐的方法,并且立即就医。			
Ingestion		ses of milk or water. Induce	e vomiting unless patient is	
	unconscious. Call a	physician.		

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984





Page 4 / 11 Pages

Report No.: TSZ23120178-P03-R02

第五部分-消防措施		
Section 5- Fire Fighting Measures		
燃点	不适用	
Flash Point	N/A	
自燃温度	不适用	
Auto-Ignition Temperature	N/A	
灭火介质	碳氢表面活性剂, 二氧化碳	
Extinguishing Media	Hydrocarbon surfactant, CO <sub>2</sub>	
特殊灭火程序	自给式呼吸器	
Special Fire-Fighting Procedures	Self-contained breathing apparatus	
异常火灾或爆炸	当电芯暴露于过热的环境中时,安全阀可能会打开	
Unusual Fire and Explosion Hazards	Cell may vent when subjected to excessive heat-exposing battery contents	
燃烧产生的危险物品	一氧化碳, 二氧化碳, 锂氧化物烟气	
Hazardous Combustion Products	Carbon monoxide, carbon dioxide, lithium oxide fumes.	

第六部分-泄露应急处理

#### Section 6- Accidental Release Measures

#### 个人预防措施、保护设备和应急程序:

如果电池被泄露,让人员离开该区域直到烟雾消散。提供最大限度的通风,清除有害气体。首选的反应就是离开这个地区并消散气体,避免皮肤和眼睛接触或吸入气体。用吸收剂清除溢出的液体然后焚烧。如果电池泄漏发生时,液体可以用砂、泥土或其他惰性物质来吸收,污染区域应该保持通风。

#### Personal precautions, protective equipment and emergency procedures:

If the battery is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. The preferred response is to leave the area and allow the vapors to dissipate, Avoid skin and eyes contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerated. If leakage of the battery happens, liquid could be absorbed by using sand, earth or other inert substance and contaminated area should be ventilated meantime.

#### 环境预防措施:

不允许产品到达排水系统或任何水源。

如果渗透进排水系统或任何水源, 通知相应的部门。

不允许进入下水道/表面或地下水。

#### **Environment precautions:**

Do not allow product to reach sewage system or any water source.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### 抑制和清理材料的方法:

如果电池外壳被拆除,少量电解液可能会泄漏。收集所有材料放进一个塑料容器。根据当地的法律法规来处置,避免可溶物质进入大地、下水道或水源。

#### Methods and material for containment and cleaning up:

If battery casing is dismantled, small amounts of electrolyte may leak. Collect all released material in a plastic

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China

Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984



J3-2022-A01-0109



Page 5 / 11 Pages

Report No.: TSZ23120178-P03-R02

lined container. Dispose off according to the local law and rules, Avoid leached substances to get into the earth, canalization or waters.

第七部分-操作处置和储存		
Section 7- Handling and Storage		
360		
	禁止打开、毁坏或焚烧电池,因为电池有可能在这些处理过程中发生爆炸、破裂或泄露等事故。	
	禁止将电池短路、过充、强制放电或扔入火中。	
₩ <i>(</i> )	禁止挤压或刺穿电池,或将电池浸入溶液中。	
操作处置 Handling	The battery should not be opened, destroyed or incinerate, since they may	
	leak or rupture and release to the environment the ingredients that they	
	contain in the hermetically sealed container.	
	Do not short circuit terminals, or over charge the battery, forced	
	over-discharge, throw to fire.  Do not crush or puncture the battery, or immerse in liquids.	
	禁止物理或电滥用,禁止高温储存,最好将电池储存在阴凉、干燥、通风及温度变化较小的环境中。	
\h\dot\	禁止将电池接触加热设备,或将电池长时间直接暴露在阳光中。	
储存 Storage	Avoid mechanical or electrical abuse. Storage preferably in cool, dry and	
Otorage	ventilated area, which is subject to little temperature change. Storage at	
	high temperatures should be avoided.  Do not place the battery near heating equipment, nor expose to direct	
	sunlight for long periods.	
	拆解、挤压、直接放入火中或高温条件下,电池可能发生爆炸和燃烧。	
	禁止短接或将电池正负极错误的安装在设备中。	
其他要注意的防范措施	The battery may explode or cause burns, if disassembled, crushed or	
Other Precautions	exposed to fire or high temperatures. Do not short or install with incorrect	
	polarity.	
	第八部分-接触控制和个体防护	
•		
Section 8- Exposure Controls/Personal Protection		
	设计局部排气通风或其它设计来控制粉尘、雾、烟雾和气体。	
设计控制 Engineering Controls	Use local exhaust ventilation or other engineering controls to control sources of dust, mist, fumes and vapor.	
	Keep away from heat and open flame. Store in a cool, dry place.	





Ican Su	Page 6 / 11 Pages
	呼吸防护:在正常情况下不需要。
	皮肤和身体防护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需
	要穿戴适当的防护服和手套。
	手保护: 如果处理一个裂开的或泄漏的电池需要戴适当手套。
	眼睛保护:在正常情况下不需要,如果处理一个裂开的或泄漏的电池需要戴上
个人防护装备	安全眼镜。
Personal Protective Equipment	Respiratory Protection: Not necessary under normal conditions.
	Skin and body Protection: Not necessary under normal conditions, Wear
	suitable protective clothing and gloves if handling an open or leaking battery.
	Hand protection: Wear suitable gloves if handling an open or leaking battery.
	Eye Protection: Not necessary under normal conditions, Wear safety
	glasses if handling an open or leaking battery.
	在工作区域应该有一个立即可以使用的安全淋浴和喷水洗眼器。
其它防护装备	Have a safety shower and eye wash fountain readily available in the
Other Protective Equipment	immediate work area.
卫生措施	在工作区域不得进食,饮水或吸烟。
Hygiene Measures	Do not eat, drink, or smoke in work area. Maintain good housekeeping.
	第九部分-物理和化学特性
<b>.</b>	
Section 9-	Physical and Chemical Properties
颜色	黑色
Color	Black
气味	不适用
Odour	Not Applicable
酸碱度	不适用
pH	Not Applicable
熔点/凝固点	不适用
Melting point/freezing point	Not Applicable
沸点、沸点范围:	不适用
Boiling Point and Boiling range	Not Applicable
易燃度	不适用
Flash Point	Not Applicable
自燃或爆炸的上、下极限	不适用
Upper/lower flammability or	Not Applicable
explosive limits	

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China E-mail: tsjc@tiansu.org Tel: 0755-89457984 Web: www.tiansu.org

不适用

Not Applicable

蒸汽压

Vapor Pressure





read Su	Page 7 / 11 Pages	
蒸汽密度	不适用	
Vapor Density	Not Applicable	
相对密度	不适用	
Relative density	Not Applicable	
水溶性	不适用	
Solubility in Water	Not Applicable	
自燃温度	不适用	
Auto-ignition temperature	Not Applicable	
分解温度	不适用	
Decomposition temperature	Not Applicable	
蒸发速率	不适用	
Evaporation rate	Not Applicable	
易燃性(土壤、天然气)	不适用	
Flammability (soil, gas)	Not Applicable	
粘性	不适用	
Viscosity	Not Applicable	
	第十部分 稳定性和反应活性	
Sect	ion 10- Stability and reactivity	
44 台 44	产品在第七部分所述的条件下稳定	
稳定性		
Stability	The product is stable under conditions described Section 7	
	加热 70℃ 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路,长时间暴	
应避免的条件	露在潮湿的条件下。	
Conditions to Avoid	Heat above 70°C or incinerate. Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions.	
不兼容的材料	氧化剂,酸,碱。	
Incompatible Materials		
-	Oxidizing agents, acid, base.	
危险分解物	一氧化碳、二氧化碳、氧化锂烟雾。	
Hazardous Decomposition	Carbon monoxide, carbon dioxide, lithium oxide fumes.	
Products		
危险反应的可能性	不适用	
Possibility of Hazardous	Not Applicable	
Reaction		
第十一部分-毒理学资料		
Section 11 - Toxicological Information		
刺激	如果电芯的外壳受到机械、热或电的滥用到达一定程度,会发生刺激的风险。	

Address: No.2, Jinlong Avenue, Longgang District, Shenzhen, Guangdong, China
Web: www.tiansu.org E-mail: tsjc@tiansu.org Tel: 0755-89457984



J3-2022-A01-0109



Page	8 /	11	Pages
------	-----	----	-------

Irritation	Page 8 / 11 Pages 如果发生这种情况,可能会刺激皮肤、眼睛和呼吸道。
	Risk of irritation occurs only if the cell is mechanically, thermally or electrically abused to the point of compromising the enclosure. If this occurs, irritation to the skin, eyes and respiratory tract may occur.
致过敏	不适用
Sensitization	Not Applicable
影响神经系统	不适用
Neurological Effects	Not Applicable
致畸	不适用
Teratogenicity	Not Applicable
再生毒性	不适用
Reproductive Toxicity	Not Applicable
诱变(遗传效应)	不适用
Mutagenicity (Genetic Effects)	Not Applicable
附带材料毒理性	不适用
Toxicologically Synergistic Materials	Not Applicable
	第十二部分-生态学资料
Secti	on 12- Ecological Information
生态毒性	不适用
<b>Ecological Toxicity</b>	Not Applicable
在土壤中的流动性	不适用
Mobility in soil	Not Applicable
持久性和分解性	不适用
Persistence and Degradability	Not Applicable
生物聚积	不适用
Bioaccumulation potential	Not Applicable
其他不利影响	不适用
Other Adverse Effects	Not Applicable

第十三部分-废弃处置





Page 9 / 11 Pages

Report No.: TSZ23120178-P03-R02

		9711 Pages
Section	on 13- Disp	oosal Considerations
产品废弃处理建议	遵守当地、州和联邦法律和法规。 Observe local, state and federal laws and regulations.	
Product disposal recommendation		
包装处理建议	废弃处理必须根据当地法规	
Packaging disposal recommendation	Disposal must be made according to official regulations	
	第十四音	邓分-运输信息
Section	on 14 - Ti	ransport Information
运输标签	锂电池标签	
Label for conveyance	Lithium Battery	Label
UN 编号	UN 3480 或 UN	3481
UN Number	UN 3480 or UN 3481	
运输风险类别		
Transport hazard class(es)	9	
包装等级	965 or 966 II	
Packing group	967	
海洋污染物	无污染	
Marine pollutant	No	
	锂离子电池(包括	· 锂离子聚合物电池)
	Lithium ion Batteries (Including lithium ion polymer batteries)	
	锂离子电池和设备包装在一起(包括锂离子聚合物电池)	
联合国运输专用名称	Lithium ion Batteries packed with equipment (Including lithium ion polymer	
UN Proper shipping name	batteries)	
	设备里内含锂离子电池(包括锂离子聚合物电池)	
	Lithium ion Batteries contained in equipments (Including lithium ion polymer batteries)	
	,	room du (ICAO) TI 子同に配应は 人 (IATA) DOD OF ビナケヤンロ
	可根据国际民用航空组织(ICAO), TI或国际航空协会(IATA) DGR 65 版本包装说明 965 第 IA 节规定或 966~967 第 I 节规定进行空运	
ICAO/IATA	(ICAO), TI or Inte	by air in accordance with international Civil Aviation Organization mational Air Transport Association (IATA) DGR $65^{\rm th}$ Packing on IA of $965$ or Section I of $966{\sim}967$ appropriately.





Page 10 / 11 Pages

Report No.: TSZ23120178-P03-R02

IMDG CODE	《国际海运危险货物规则》(IMDG CODE)相关规定 IMDG CODE (Amdt 41-22) International Maritime Dangerous Goods Code IMDG CODE (Amdt 41-22)
ADR	《国际危险货物道路运输欧洲协定》(ADR)相关规定 European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	《国际危险货物铁路运输欧洲协定》(RID)相关规定 Regulations concerning the International Carriage of Dangerous Goods by Rail

危险品规例规定,运输前,每一个电池设计须通过联合国试验和标准手册38.3节所载的测试。

The dangerous goods regulations require that each battery design be subject to tests contained in Section 38.3 of the UN Manual of Tests and Criteria prior to being offered for transport.

第十五部分 法规信息

#### Section 15- Regulatory information

#### 法律信息

#### Law information

《危险物品规则》

《Dangerous Goods Regulations》

《对危险货物运输的有关规定的建议》

《Recommendation on the Transport of Dangerous Goods Model Regulations》

《国际海运危险货物规则》

《International Maritime Dangerous Goods》

《危险品安全运输技术指令》

«Technical Instructions for the Safe Transport of Dangerous Goods»

《危险货物分类和品名编号》

《Classification and code of dangerous Goods》

《消费产品安全法》

《Consumer Product Safety Act》 (CPSA)

《联邦环境污染控制法》

《Federal Environmental Pollution Control Act》 (FEPCA)

《资源保护及恢复法案》

《Resource Conservation and Recovery Act》 (RCRA)

《国际危险货物道路运输欧洲协定》

《European Agreement concerning the International Carriage of Dangerous》

《国际危险货物铁路运输欧洲协定》

«Regulations concerning the International Carriage of Dangerous»

根据所有联邦、州和地方法律。

In according with all Federal, State and local laws.





Page 11 / 11 Pages

Report No.: TSZ23120178-P03-R02

#### 第十六部分-其它信息

#### Section 16- Other Information

上面的信息被认为是准确代表了目前最好的信息提供给我们。然而,飞机没有对商品性能保证或任何其他保证,包括明示或暗示,对这类信息的使用我们不承担责任。用户应作出自己的调查,以确定是否适合其特定用途的信息。虽然在此处所包含的数据的准备已经采取了合理的预防措施,这是仅为你提供的信息、考虑和调查。这个化学品安全技术说明书为本产品提供了安全操作指南和使用指南,它并不能对所有可能发生的情况提供建议,因此,您特殊使用该产品应先进行评估,以确定是否需要额外的预防措施。

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

-- End of Report ---- 报告结束 --

